



Nerezový elektrický ohříváč



Typ	EL - technické parametry									
objem (litr)	60	90	120	100	150	200	250	300	350	400
příkon (kW)	1	2	2	2	2	3	4,5	4,5	6	6
napětí V/50Hz	230	230	230	230	230	400	400	400	400	400
Elektrické krytí	IP-45	IP-45	IP-45	IP-45	IP-45	IP-45	IP-45	IP-45	IP-45	IP-45
doba ohřevu z 10°C na 55°C	3 hod 15 min	2 hod 30 min	3 hod 30 min	2 hod 45 min	4 hod	3 hod 45 min	3 hod	3 hod 45 min	3 hod 15 min	3 hod 45 min
doba ohřevu z 10°C na 80°C	5 hod	3 hod 45 min	5 hod	4 hod 15 min	6 hod 15 min	5 hod 45 min	4 hod 45 min	5 hod 45 min	5 hod	5 hod 45 min


Stojaté provedení:



Typ	· stojaté provedení										Pro objemy od 400 - 10 000 litrů Vám připravíme technickou a cenovou kalkulaci.	
objem (litr)	60	90	120	100	150	200	250	300	350	400		
A (mm)	850	1100	1350	870	1120	1370	1620	1870	2120	2370		
B (mm)	870	920	1180	690	940	1180	1430	1660	1860	2110		
C (mm)	*870	625	750	*690	635	760	885	1010	1135	1260		
d (mm)	470			595								
D (mm)	365			480								
E (mm)	150			150								
J (mm)	310			330								
S (mm)	550			675								
D1	3/4"	3/4"	3/4"	1"	1"	1"	5/4"	5/4"	5/4"	5/4"		
hmotnost (kg)	29	34	39	36	43	50	59	68	77	86		


* umístění se liší od výkresu

Závěsné provedení:



Typ	EL - závěsné provedení						
objem (litr)	60	90	120	100	150	200	250
A (mm)	700	950	1200	720	970	1220	1470
B (mm)	520	770	1010	540	790	1030	1280
C (mm)	*520	475	600	*540	485	610	735
d (mm)	470			595			
D (mm)	365			480			
N (mm)	100			100			
P (mm)	155			180			
R (mm)	80			80			
S (mm)	490			615			
Z1 (mm)	195	270	345	200	275	350	375
Z2 (mm)	495	670	845	500	675	850	1075
Z3 (mm)	460			460			
D1	3/4"	3/4"	3/4"	1"	1"	1"	5/4"
hmotnost (kg)	31	36	41	38	45	52	61

Ležaté provedení:



Typ	ležaté provedení									
objem (litr)	60	90	120	100	150	200	250	300	350	400
A (mm)	700	950	1200	720	970	1220	1470	1720	1970	2220
B (mm)	160			180						
C (mm)	160			180						
d (mm)	470			595						
D (mm)	365			480						
R (mm)	80			80						
S (mm)	490			615						
T (mm)	545	795	1045	535	875	1035	1285	1535	1785	2035
U (mm)	145			165						
Z1 (mm)	270	320	345	275	325	350	375	400	425	450
Z2 (mm)	420	620	845	425	625	850	1075	1300	1525	1750
Z3 (mm)	380			380						
Z4 (mm)	-			-						
D1	3/4"	3/4"	3/4"	1"	1"	1"	5/4"	5/4"	5/4"	5/4"
hmotnost (kg)	30	35	40	37	44	51	60	69	80	89

Pro objemy od 400 - 10 000 litrů Vám připravíme technickou a cenovou kalkulaci.

Jaromír Novák - ZÁSOBNÍKY CZ

1.Máje 1038

757 01 Valašské Meziříčí

IČO: 74315315

DIČ: CZ8110195841

tel: +420 723 560 207 - Czech, English

tel: +420 605 849 549 - Deutsche sprache

fax: + 420 571 622 491

e-mail: zasobniky@centrum.cz